



Protect employees, maintain compliance and build your best-in-class program

LOCKOUT TAGOUT

PRODUCTS, SERVICES & SOFTWARE

Lockout Padlocks

▶ Protecting workers, workflows and costs

Durable, substantial, standardized, identifiable and exclusively for safety — when you're complying with the 1910.147 lockout tagout standard, your safety padlocks need to check every box. They do with Brady. Rely on the safety leader for padlocks built to be part of an OSHA-compliant program. Then, explore a variety of other life-saving, time-saving and cost-saving features built in to our in-house solutions based on your specific needs. Get the program-built locks only Brady can provide.

- ▶ **Key Features Explained**
- ▶ **Velocity Lockout Padlocks Overview**
- ▶ **Selecting the Right Padlock**
- ▶ **Velocity Lockout Padlocks**
- ▶ **Velocity Plus Lockout Padlocks**
- ▶ **Padlock Labels**



Keys to compliance



1910.147(c)(5) OSHA Lockout Device Requirements states that lockout devices must:





- Be provided by the employer and be standardized by size, shape or color
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose)
- Be capable of withstanding the usage environment and be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else

KEY PADLOCK FEATURES EXPLAINED

A variety of features, from keying to materials, determine a safety padlock's effectiveness based on its application. Learn more about key features and how each can help fulfill your program goals.

Compare options online!

View colors, styles and options side by side with our helpful comparison tool on [BradyID.com/Padlocks](https://bradyid.com/padlocks).

Material Options	Standard Body	Compact Body
<p>Nylon</p> <ul style="list-style-type: none"> • Ideal for electrical and general lockout applications • Nylon body is lightweight with a durable, steel shackle option or a polymer plastic shackle option that's non-conductive and non-sparking 		
<p>Aluminum</p> <ul style="list-style-type: none"> • Ideal for indoor and outdoor use and heavy-duty applications • Aluminum padlock with steel shackle is durable and corrosion-resistant 		

Understanding keying types and their applications

Learn about the different options available to help you meet OSHA's "one person, one lock, one key" guidance.

Standard options		
	<p>Keyed different (KD)</p>	<p>Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.</p>
	<p>Keyed alike (KA)</p>	<p>Each lock in the group can be opened with the same key, reducing the number of keys needed. Ideal for employees who work on multiple machines or isolation points.</p>
Custom options		
	<p>Master keyed (MK)</p>	<p>Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required.</p>
	<p>Grand master keyed (GMK)</p>	<p>The grand master key can open all locks grouped into two or more master-keyed systems. Useful when supervisory or managerial access to all locks is needed.</p>
	<p>Key charting</p>	<p>By request on custom padlock orders, Brady will keep a record of and chart all key numbers to ensure there's no unwanted key duplication on current or future orders.</p>
	<p>Engraving (ENG)</p>	<p>Because you need to make your locks identifiable, engraving is the best option for clarity and sustainability. Laser-engraving can be done on up to four surfaces to identify individuals, departments, work areas, serial numbers and companies. Additionally, keys can be engraved with up to 10 characters.</p>

Customized programs made simple

For those with large programs or complex needs, a customized padlock program with features like engraving is needed.



Contact a Brady custom quoting specialist at 888-272-3946 or visit BradyID.com/CustomPadlocks.



Powerfully efficient



Velocity Padlocks

Save lives, time and costs with purpose-built padlocks

Durable, substantial, standardized, identifiable and exclusively for safety — when you're complying with the OSHA CFR 1910.147 Control of Hazardous Energy Standard, your lockout padlocks need to meet every one of these requirements. Velocity® Lockout Padlocks do that, and more. With a dedicated focus on lockout tagout and a team of R&D experts, Brady provides unparalleled support and innovation for your safety program. We're more than just a padlock provider — we're your partner in safety.

▶ **Lockout tagout exclusive design**

Engineered for compliance and safety, Velocity Padlocks help you meet OSHA requirements and protect workers.

▶ **Built to last**

Impact and tamper resistant, these locks provide durability and safety in demanding conditions. Add protection in electrical applications with nonconductive options.

▶ **Keying options**

Choose from keyed different and keyed alike options to match your specific lockout requirements and simplify key management.

▶ **Enhanced key control**

The key-retaining cylinder prevents key removal in the unlocked position, minimizing lost keys and the risk of unauthorized access.

▶ **Made to your specifications**

Easily identify departments, shifts or contractors with up to nine color options. Configure body and shackle materials and styles to meet your specific needs.

▶ **Effortless tracking**

Unique key codes engraved on the key and lock body simplify record-keeping and traceability. This streamlines audits and improves accountability.

Discover next-level lockout with Brady-exclusive innovations




Cut through the clutter!

Color matching helps workers find the right key for the right lock fast, the first time, to save time and frustration during lockout.



FIND YOUR IDEAL PADLOCK OPTION FAST

Each option is purpose-built to deliver optimal safety and value Velocity® and Velocity® Plus Padlocks can be configured and ordered based on the needs of your program to deliver the safest, most cost-effective solution. Follow our features guide to discover which option is right for you.





Velocity Padlocks

Accelerate your program with the most lock options at the best prices.


See page 36.



Velocity Plus Padlocks

Same great padlock in a more configurable ordering format. Simply pick your unique key code and quantity to enjoy quick shipping and easy re-orders.

See page 39.



*Sets of 12 and 24 available for aluminum or plastic standard-body Velocity padlocks in red only.

Velocity Padlocks — Standard Body

Accelerate your program with the most lock options at the best prices

- ▶ Available in the widest variety of colors, materials and styles
- ▶ Keyed different or keyed alike
- ▶ Ideal for most lockout program sizes
- ▶ Each padlock includes one key and lock labels in English, Spanish and French
- ▶ Nylon body dimensions: 1.77"H x 1.5"W x 0.82"D (44.96 mm x 38.1 mm x 20.83 mm)
- ▶ Aluminum body dimensions: 1.8"H x 1.5"W x 0.75"D (45.72 mm x 38.1 mm x 19.05 mm)



Standard Nylon Body (SDPL) with 1.5" (38 mm) Steel Shackle (38ST)

- Lightweight, durable and ideal for general lockout applications

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 6/Pack	Keyed Different 12/Pack	Keyed Alike 12/Pack	Keyed Different 24/Pack	Keyed Alike 24/Pack
Red	SDPL-RED-38ST-KD	SDPL-RED-38ST-KD6	SDPL-RED-38ST-KA6	SDPL-RED-38ST-KD12	SDPL-RED-38ST-KA12	SDPL-RED-38ST-KD24	SDPL-RED-38ST-KA24
Green	SDPL-GRN-38ST-KD	SDPL-GRN-38ST-KD6	SDPL-GRN-38ST-KA6				
Orange	SDPL-ORG-38ST-KD	SDPL-ORG-38ST-KD6	SDPL-ORG-38ST-KA6				
Blue	SDPL-BLU-38ST-KD	SDPL-BLU-38ST-KD6	SDPL-BLU-38ST-KA6				
Yellow	SDPL-YLW-38ST-KD	SDPL-YLW-38ST-KD6	SDPL-YLW-38ST-KA6				
Black	SDPL-BLK-38ST-KD		SDPL-BLK-38ST-KA6				
White	SDPL-WHT-38ST-KD		SDPL-WHT-38ST-KA6				
Brown	SDPL-BRN-38ST-KD		SDPL-BRN-38ST-KA6				
Purple	SDPL-PRP-38ST-KD		SDPL-PRP-38ST-KA6				



Standard Nylon Body (SDPL) with 1.5" (38 mm) Nylon Shackle (38PL)

- Lightweight, non-conductive, non-sparking and ideal for electrical or general lockout applications

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 6/Pack	Keyed Different 12/Pack	Keyed Alike 12/Pack	Keyed Different 24/Pack	Keyed Alike 24/Pack
Red	SDPL-RED-38PL-KD	SDPL-RED-38PL-KD6	SDPL-RED-38PL-KA6	SDPL-RED-38PL-KD12	SDPL-RED-38PL-KA12	SDPL-RED-38PL-KD24	SDPL-RED-38PL-KA24
Green	SDPL-GRN-38PL-KD	SDPL-GRN-38PL-KD6	SDPL-GRN-38PL-KA6				
Orange	SDPL-ORG-38PL-KD	SDPL-ORG-38PL-KD6	SDPL-ORG-38PL-KA6				
Blue	SDPL-BLU-38PL-KD	SDPL-BLU-38PL-KD6	SDPL-BLU-38PL-KA6				
Yellow	SDPL-YLW-38PL-KD	SDPL-YLW-38PL-KD6	SDPL-YLW-38PL-KA6				
Black	SDPL-BLK-38PL-KD		SDPL-BLK-38PL-KA6				
White	SDPL-WHT-38PL-KD		SDPL-WHT-38PL-KA6				
Brown	SDPL-BRN-38PL-KD		SDPL-BRN-38PL-KA6				
Purple	SDPL-PRP-38PL-KD		SDPL-PRP-38PL-KA6				



Standard Aluminum Body (SDAL) with 1.5" (38 mm) Steel Shackle (38ST)

- Corrosion-resistant and ideal for general lockout applications where added durability is needed

Color	Keyed Different 1/Pack	Keyed Different 6/Pack	Keyed Alike 6/Pack	Keyed Different 12/Pack	Keyed Alike 12/Pack	Keyed Different 24/Pack	Keyed Alike 24/Pack
Red	SDAL-RED-38ST-KD	SDAL-RED-38ST-KD6	SDAL-RED-38ST-KA6	SDAL-RED-38ST-KD12	SDAL-RED-38ST-KA12	SDAL-RED-38ST-KD24	SDAL-RED-38ST-KA24
Green	SDAL-GRN-38ST-KD	SDAL-GRN-38ST-KD6	SDAL-GRN-38ST-KA6				
Orange	SDAL-ORG-38ST-KD	SDAL-ORG-38ST-KD6	SDAL-ORG-38ST-KA6				
Blue	SDAL-BLU-38ST-KD	SDAL-BLU-38ST-KD6	SDAL-BLU-38ST-KA6				
Yellow	SDAL-YLW-38ST-KD	SDAL-YLW-38ST-KD6	SDAL-YLW-38ST-KA6				
Black	SDAL-BLK-38ST-KD		SDAL-BLK-38ST-KA6				
White	SDAL-WHT-38ST-KD		SDAL-WHT-38ST-KA6				
Brown	SDAL-BRN-38ST-KD		SDAL-BRN-38ST-KA6				
Purple	SDAL-PRP-38ST-KD		SDAL-PRP-38ST-KA6				



Standard Aluminum Body (SDAL) with 3" (76 mm) Steel Shackle (76ST)

- Longer shackle helps secure hard-to-reach or multiple isolation points

Color	Keyed Different 1/Pack
Red	SDAL-RED-76ST-KD
Green	SDAL-GRN-76ST-KD
Orange	SDAL-ORG-76ST-KD
Blue	SDAL-BLU-76ST-KD
Yellow	SDAL-YLW-76ST-KD
Black	SDAL-BLK-76ST-KD
White	SDAL-WHT-76ST-KD
Brown	SDAL-BRN-76ST-KD
Purple	SDAL-PRP-76ST-KD

Velocity Padlocks — Compact Body

Maximize versatility with smaller locks for tight spaces and unique applications

- ▶ Lightweight, compact design is ideal for lockout applications where clearance or accessibility is limited
- ▶ Available with standard U-shaped steel shackle or versatile cable shackle
- ▶ Nylon body dimensions: 1.25"H x 1.25"W x 0.625"D (31.75 mm x 31.75 mm x 15.875 mm)
- ▶ Aluminum body dimensions: 1.25"H x 1.25"W x 0.5"D (31.75 mm x 31.75 mm x 12.7 mm)

Compact Nylon Body (CPPL) with 1.0" (25 mm) Aluminum Shackle (25AL)

- Lightweight and designed to fit into tight spaces



Color	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	CPPL-RED-25AL-KD	CPPL-RED-25AL-KA6
Green	CPPL-GRN-25AL-KD	CPPL-GRN-25AL-KA6
Orange	CPPL-ORG-25AL-KD	CPPL-ORG-25AL-KA6
Blue	CPPL-BLU-25AL-KD	CPPL-BLU-25AL-KA6
Yellow	CPPL-YLW-25AL-KD	CPPL-YLW-25AL-KA6
Black	CPPL-BLK-25AL-KD	CPPL-BLK-25AL-KA6
White	CPPL-WHT-25AL-KD	CPPL-WHT-25AL-KA6
Brown	CPPL-BRN-25AL-KD	CPPL-BRN-25AL-KA6
Purple	CPPL-PRP-25AL-KD	CPPL-PRP-25AL-KA6

Compact Nylon Body (CPPL) with 8" (200 mm) Steel Cable (200CB)

- For securing multiple or oddly shaped lockout points in confined areas



Color	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	CPPL-RED-200CB-KD	CPPL-RED-200CB-KA6
Green	CPPL-GRN-200CB-KD	CPPL-GRN-200CB-KA6
Orange	CPPL-ORG-200CB-KD	
Blue	CPPL-BLU-200CB-KD	CPPL-BLU-200CB-KA6
Yellow	CPPL-YLW-200CB-KD	CPPL-YLW-200CB-KA6
Black	CPPL-BLK-200CB-KD	
White	CPPL-WHT-200CB-KD	
Brown	CPPL-BRN-200CB-KD	
Purple	CPPL-PRP-200CB-KD	

Compact Nylon Body (CPPL) with 16" (400 mm) Steel Cable (400CB)

- A longer, flexible reach for securing multiple or hard-to-reach isolation points



Color	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	CPPL-RED-400CB-KD	CPPL-RED-400CB-KA6
Green	CPPL-GRN-400CB-KD	CPPL-GRN-400CB-KA6
Orange	CPPL-ORG-400CB-KD	
Blue	CPPL-BLU-400CB-KD	CPPL-BLU-400CB-KA6
Yellow	CPPL-YLW-400CB-KD	CPPL-YLW-400CB-KA6
Black	CPPL-BLK-400CB-KD	
White	CPPL-WHT-400CB-KD	
Brown	CPPL-BRN-400CB-KD	
Purple	CPPL-PRP-400CB-KD	

Compact Aluminum Body (CPAL) with 1.0" (25 mm) Aluminum Shackle (25AL)

- Combines the durability of a steel shackle with a lightweight, corrosion-resistant anodized aluminum body



Color	Keyed Different 1/Pack	Keyed Alike 6/Pack
Red	CPAL-RED-25AL-KD	CPAL-RED-25AL-KA6
Green	CPAL-GRN-25AL-KD	CPAL-GRN-25AL-KA6
Orange	CPAL-ORG-25AL-KD	CPAL-ORG-25AL-KA6
Blue	CPAL-BLU-25AL-KD	CPAL-BLU-25AL-KA6
Yellow	CPAL-YLW-25AL-KD	CPAL-YLW-25AL-KA6
Black	CPAL-BLK-25AL-KD	CPAL-BLK-25AL-KA6
White	CPAL-WHT-25AL-KD	CPAL-WHT-25AL-KA6
Brown	CPAL-BRN-25AL-KD	CPAL-BRN-25AL-KA6
Purple	CPAL-PRP-25AL-KD	CPAL-PRP-25AL-KA6

Velocity Plus Padlocks

Fast-track your padlock procurement. Simply pick your unique key code and quantity to enjoy quick shipping and easy re-orders

- ▶ Choose your exact quantity, key code, color and material to minimize costs, control inventory and reduce waste
- ▶ Ideal for small- and medium-sized programs and high-turnover workforces
- ▶ Locks have a dedicated Brady catalog number that contains the unique key code you select for easy re-orders or to add onto your system
- ▶ Only available from Brady



Standard Nylon Body (SDPL) with 1.5" (38 mm) Steel Shackle (38ST)

Color	Keyed Alike Sets	# of Key Codes
Red	SDPL-RED-38ST-###	001 - 100
Green	SDPL-GRN-38ST-###	001 - 025
Orange	SDPL-ORG-38ST-###	001 - 025
Blue	SDPL-BLU-38ST-###	001 - 025
Yellow	SDPL-YLW-38ST-###	001 - 050



Standard Aluminum Body (SDAL) with 1.5" (38 mm) Steel Shackle (38ST)

Color	Keyed Alike Sets	# of Key Codes
Red	SDAL-RED-38ST-###	001 - 100
Green	SDAL-GRN-38ST-###	001 - 025
Orange	SDAL-ORG-38ST-###	001 - 025
Blue	SDAL-BLU-38ST-###	001 - 025
Yellow	SDAL-YLW-38ST-###	001 - 050



Padlock Labels

Simplify and speed up identification

When it comes to making padlocks identifiable as required by OSHA, padlock labels send a clear message. Ensure workers know immediately when a padlock is locking out an isolation point, the danger that interfering actions could have, and what authorized worker is performing work with colors that grab attention and label materials built to last.

Add safety with photo labels

Padlock labels customized with photos, names and contact information are an effective way for your facility to identify authorized workers and their equipment. And they're easier than you think, thanks to the BradyJet™ J7300 Color Label Printer.

Print from templates or create custom labels on site and on demand. DIY printing can cost you less over time versus preprinted labels.

Talk to your Brady representative or visit BradyID.com/BradyJet.



All Weather Permanent Adhesive Vinyl Labels for J7300 Inkjet Printer (J-179-2595)



Online support

Get your product questions answered in real time with live chat when you visit BradyID.com.



Labels for SafeKey Lockout Padlocks

- Labels help send a clear message when machine is down for service or maintenance
- Keep track of your Brady SafeKey Lockout Padlocks by writing who owns each padlock on each label

Catalog #	Description	Size	Qty.
150556	English, French, Spanish	Compact 0.89 in. x 1 in.	6 cards
150555	English, French, Spanish	Standard 1.12 in. x 1 in.	6 cards
65508	Lock Label Overlaminates	1 in. x 6 in.	40



Labels for Steel Padlocks

- Durable vinyl labels include overlaminates strips
- Labels accept pencil, pen or marker
- Designed to fit steel padlocks

Catalog #	Description	Size	Qty.
50280	English	0.75 in. x 4.5 in.	6
50281	Spanish	0.75 in. x 4.5 in.	6
50283	French	0.75 in. x 4.5 in.	6



Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit steel padlocks

Catalog #	Size	Qty.
121448	0.75 in. x 5 in.	40



Self-Laminating Labels for Steel Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit steel padlocks

Catalog #	Size	Qty.
121449	0.625 in. x 4 in.	5



Wrap-Around Labels for Steel Padlocks

- Labels accept pencil, pen or marker
- Designed to fit steel padlocks

Catalog #	Size	Qty.
LID-3	0.75 in. x 4.5 in.	25



Labels for Nylon Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit nylon padlocks
- Labels supplied with multiple languages

Catalog #	Description	Qty.
51379	English/Spanish/French	6 of each language



Labels for Aluminum Padlocks

- Durable vinyl labels accept pencil, pen or marker
- Designed to fit aluminum padlocks

Catalog #	Description	Size	Qty.
50289	English	0.8 in. x 1.1 in.	6
50292	Spanish	0.8 in. x 1.1 in.	6
50293	French	0.8 in. x 1.1 in.	6



Lock Label Overlaminates

- Clear overlaminates protect existing lock labels from dirt and grease
- Lock labels sold separately

Catalog #	Description	Qty.
65508	1 in. x 6 in. overlaminates	40